CONTENTS

PART 1 JULY 2005

REVIEW ARTICLE

GASSER, R. B., WILLIAMSON, R. M. C. and BEVERIDGE, I. *Anoplocephala perfoliata* of horses – significant scope for further research, improved diagnosis and control 1

PÉREZ-TRIS, J. and BENSCH, S. Diagnosing genetically diverse avian malaria infections using mixed-sequence analysis and TA-cloning 15

MASCORRO, C. N., ZHAO, K., KHUNTIRAT, B., SATTABONGKOT, J., YAN, G., ESCALANTE, A. A. and CUI, L. Molecular evolution and intragenic recombination of the merozoite surface protein MSP-3α from the malaria parasite *Plasmodium vivax* in Thailand 25

LINDENTHAL, C., WEICH, N., CHIA, Y.-S., HEUSSLER, V. and KLINKERT, M.-Q. The proteasome inhibitor MLN-273 blocks exoerythrocytic and erythrocytic development of *Plasmodium* parasites 37

MBAO, V., SPEYBROECK, N., BERKVENS, D., DOLAN, T., DORNY, P., MADDER, M., MULUMBA, M., DUCHATEAU, L., BRANDT, J. and MARCOTTY, T. Comparison of manual and homogenizer methods for preparation of tick-derived stabilates of *Theileria parva*: equivalence testing using an *in vitro* titration model 45

PRADO, M. S., CAIRNCROSS, S., STRINA, A., BARRETO, M. L., OLIVEIRA-ASSIS, A. M. and REGO, S. Asymptomatic giardiasis and growth in young children; a longitudinal study in Salvador, Brazil 51

SHANT, J., GHOSH, S., BHATTACHARYYA, S., GANGULY, N. K. and MAJUMDAR, S. Mode of action of potentially important excretory-secretory product from *Giardia lamblia* in mice enterocytes 57

TASCA, T., BONAN, C. D., DE CARLI, G. A., SARKIS, J. J. F. and ALDERETE, J. F. Heterogeneity in extracellular nucleotide hydrolysis among clinical isolates of *Trichomonas vaginalis* 71

POINAR, G. JR and TELFORD, S. R. JR. *Paleohaemoproteus burmacis* gen. n., sp. n. (Haemospororida: Plasmodiidae) from an Early Cretaceous biting midge (Diptera: Ceratopogonidae) 79

DA SILVA-LOPEZ, R. E., PINTO COELHO, M. G. and DE SIMONE, S. G. Characterization of an extracellular serine protease of *Leishmania* (*Leishmania*) *amazonensis* 85

RASO, G., MATTHYS, B., N'GORAN, E. K., TANNER, M., VOUNATSOU, P. and UTZINGER, J. Spatial risk prediction and mapping of *Schistosoma mansoni* infections among schoolchildren living in western Côte d'Ivoire 97

GARZON, E., GENNA, F., BOSSENO, M. F., SIMONY-LA FONTAINE, J., RADAL, M., SERENO, D., MATHIEU-DAUDE, F., OUAISSI, A. and BRENIÈRE, S. F. Differential infectivity and immunopathology in murine experimental infections by two natural clones belonging to the *Trypanosoma cruzi* I lineage 109

CHURCHER, T. S., FERGUSON, N. M. and BASÁÑEZ, M.-G. Density dependence and overdispersion in the transmission of helminth parasites 121

TAKUMI, K. and VAN DER GIESSEN, J. Transmission dynamics of *Echinococcus multilocularis*; its reproduction number, persistence in an area of low rodent prevalence, and effectiveness of control 133

ERRATUM 141

BOOK REVIEWS 50, 70, 120

PART 2 AUGUST 2005

REVIEW ARTICLE

GIBSON, W. C. The *SRA* gene: the key to understanding the nature of *Trypanosoma brucei rhodesiense* 143

RECKER, M., AL-BADER, R. and GUPTA, S. A mathematical model for a new mechanism of phenotypic variation in malaria 151

VARALDI, J., BOULÉTREAU, M. and FLEURY, F. Cost induced by viral particles manipulating superparasitism behaviour in the parasitoid *Leptopilina boulardi* 161

HENRIQUEZ, F. L., NICKDEL, M. B., McLEOD, R., LYONS, R. E., LYONS, K., DUBREMETZ, J.-F., GRIGG, M. E., SAMUEL, B. U. and ROBERTS, C. W. *Toxoplasma gondii* dense granule protein 3 (GRA3) is a type I transmembrane protein that possesses a cytoplasmic dilysine (KKXX) endoplasmic reticulum (ER) retrieval motif 169

MORLEY, E. K., WILLIAMS, R. H., HUGHES, J. M., TERRY, R. S., DUNCANSON, P., SMITH, J. E. and HIDE, G. Significant familial differences in the frequency of abortion and *Toxoplasma gondii* infection within a flock of Charollais sheep 181

HOEVERS, J. D. and SNOWDEN, K. F. Analysis of the ITS region and partial ssu and lsu rRNA genes of *Blastocystis* and *Proteromonas lacertae* 187

MARQUIS, J.-F., HARDY, I. and OLIVIER, M. Resistance mechanism development to the topoisomerase-I inhibitor Hoechst 33342 by *Leishmania donovani* 197

VICTOIR, K., AREVALO, J., DE DONCKER, S., BARKER, D. C., LAURENT, T., GODFROID, E., BOLLEN, A., LE RAY, D. and DUJARDIN, J. C. Complexity of the major surface protease (msp) gene organization in *Leishmania* (*Viannia*) *braziliensis*: evolutionary and functional implications 207

JAYANARAYAN, K. G. and DEY, C. S. Altered tubulin dynamics, localization and post-translational modifications in sodium arsenite resistant *Leishmania donovani* in response to paclitaxel, trifluralin and a combination of both and induction of apoptosis-like cell death 215

FLORES, M. S., TAMEZ-TREVIÑO, E., CASTAÑEDA, F., TIJERINA-MENCHACA, R., GALAN-WONG, L. and RANGEL, R. Preparation of *Entamoeba histolytica* antigens without enzymatic inhibitors 231

NOËL, S., ANGERS, B. and LAPOINTE, F.-J. *Peromyscus* populations and their *Cuterebra* parasites display congruent phylogeographical structure 237

WIŃSKA, P., GOŁOS, B., CIEŚLA, J., ZIELIŃSKI, Z., FRĄCZYK, T., WAŁAJTYS-RODE, E. and RODE, W. Developmental arrest in *Caenorhabditis elegans* dauer larvae causes high expression of enzymes involved in thymidylate biosynthesis, similar to that found in *Trichinella* muscle larvae 247

NUÑEZ, G. G., GENTILE, T., COSTANTINO, S. N., SARCHI, M. I. and VENTURIELLO, S. M. *In vitro* and *in vivo* effects of progesterone on *Trichinella spiralis* newborn larvae 255

ROBERTS, M. L., LEWIS, J. W., WIEGERTJES, G. F. and HOOLE, D. Interaction between the blood fluke *Sanguinicola inermis* and humoral components of the immune response of carp, *Cyprinus carpio* 261

KARVONEN, A., BAGGE, A. M. and VALTONEN, E. T. Parasite assemblages of crucian carp (*Carassius carassius*) – is depauperate composition explained by lack of parasite exchange, extreme environmental conditions or host unsuitability? 273

NEILSON, R., BOAG, B. and HARTLEY, G. Temporal host–parasite relationships of the wild rabbit, *Oryctolagus cuniculus* (L.) as revealed by stable isotope analyses 279

PART 3 SEPTEMBER 2005

REVIEW ARTICLE

MORALES-MONTOR, J. and LARRALDE, C. The role of sex steroids in the complex physiology of the host–parasite relationship: the case of the larval cestode of *Taenia crassiceps* 287

TRIPATHI, R., DHAWAN, S. and DUTTA, G. P. Blood schizontocidal activity of azithromycin and its combination with α/β arteether against multi-drug resistant *Plasmodium yoelii nigeriensis*, a novel MDR parasite model for antimalarial screening 295

TEDESCO, R. C., SMITH, R. L., CORTE-REAL, S. and CALABRESE, K. S. Ocular toxoplasmosis in mice: comparison of two routes of infection 303

KUTISOVA, K., KULDA, J., CEPICKA, I., FLEGR, J., KOUDELA, B., TERAS, J. and TACHEZY, J. Tetratrichomonads from the oral cavity respiratory tract of humans 309

DECUYPERE, S., VANDESOMPELE, J., YARDLEY, V., DE DONCKER, S., LAURENT, T., RIJAL, S., LLANOS-CUENTAS, A., CHAPPUIS, F., AREVALO, J. and DUJARDIN, J.-C. Differential polyadenylation of ribosomal RNA during post-transcriptional processing in *Leishmania* 321

FIELDING, N. J., MACNEIL, C., ROBINSON, N., DICK, J. T. A., ELWOOD, R. W., TERRY, R. S., RUIZ, Z. and DUNN, A. M. Ecological impacts of the microsporidian parasite *Pleistophora mulleri* on its freshwater amphipod host *Gammarus duebeni celticus* 331

KOSTADINOVA, A. and MAVRODIEVA, R. S. Microphallids in *Gammarus insensibilis* Stock, 1966 from a Black Sea lagoon: manipulation hypothesis going East? 337

KOSTADINOVA, A. and MAVRODIEVA, R. S. Microphallids in *Gammarus insensibilis* Stock, 1966 from a Black Sea lagoon: host response to infection 347

SMITH, A., TELFER, S., BURTHE, S., BENNETT, M. and BEGON, M. Trypanosomes, fleas and field voles: ecological dynamics of a host-vector–parasite interaction 355

BAGGE, A. M., SASAL, P., VALTONEN, E. T. and KARVONEN, A. Infracommunity level aggregation in the monogenean communities of crucian carp (*Carassius carassius*) 367

WU, Z., NAGANO, I., BOONMARS, T. and TAKAHASHI, Y. Tumor necrosis factor receptor-mediated apoptosis in *Trichinella spiralus*-infected muscle cells 373

CROOK, M. and VINEY, M. E. The effect of non-immune stresses on the development of *Strongyloides ratti* 383

GABA, S., GINOT, V. and CABARET, J. Modelling macroparasite aggregation using a nematode-sheep system: the Weibull distribution as an alternative to the Negative Binomial distribution? 393

SAYERS, G., GOOD, B., HANRAHAN, J. P., RYAN, M., ANGLES, J. M. and SWEENEY, T. *Major Histocompatibility Complex* DRB1 gene: its role in nematode resistance in Suffolk and Texel sheep breeds 403

BAIG, S., DAMIAN, R. T., MOLINARI, J. L., TATO, P., MORALES-MONTOR, J., WELCH, M., TALHOUK, J., HASHMEY, R. and WHITE, JR, A. C. Purification and characterization of a metacestode cysteine proteinase from *Taenia solium* involved in the breakdown of human IgG 411

BOTTOMLEY, C., ISHAM, V. and BASÁÑEZ, M.-G. Population biology of multispecies helminth infection: interspecific interactions and parasite distribution 417

BOOK REVIEWS 435

PART 4 OCTOBER 2005

REVIEW ARTICLE

GOBERT, G. N., MOERTEL, L. P. and MCMANUS, D. P. Microarrays: new tools to unravel parasite transcriptomes 439

OCHOLA, L. B., MARSH, K., LOWE, B., GAL, S., PLUSCHKE, G. and SMITH, T. Estimation of the sequestered parasite load in severe malaria patients using both host and parasite markers 449

MAHAJAN, S. S., KAMATH, V. R. and GHATPANDE, S. S. Synergistic antimalarial activity of ketones with rufigallol and vitamin C 459

LEI, Y., BIRCH, D., DAVEY, M. and ELLIS, J. T. Subcellular fractionation and molecular characterization of the pellicle and plasmalemma of *Neospora caninum* 467

OLIVEIRA, M. R., TAFURI, W. L., AFONSO, L. C. C., OLIVEIRA, M. A. P., NICOLI, J. R., VIEIRA, E. C., SCOTT, P., MELO, M. N. and VIEIRA, L. Q. Germ-free mice produce high levels of interferon-gamma in response to infection with *Leishmania major* but fail to heal lesions 477

CONCANNON, R., WYNN-OWEN, K., SIMPSON, V. R. and BIRTLES, R. J. Molecular characterization of haemoparasites infecting bats (Microchiroptera) in Cornwall, UK 489

DRISCOLL, A. J., KYLE, J. L. and REMAIS, J. Development of a novel PCR assay capable of detecting a single *Schistosoma japonicum* cercaria recovered from *Oncomelania hupensis* 497

ALVAREZ, L. J., SOLANA, H. D., MOTTIER, M. L., VIRKEL, G. L., FAIRWEATHER, I. and LANUSSE, C. E. Altered drug influx/efflux and enhanced metabolic activity in triclabendazole-resistant liver flukes 501

HARROD, C. and GRIFFITHS, D. *Ichthyocotylurus erraticus* (Digenea: Strigeidae): factors affecting infection intensity and the effects of infection on pollan (*Coregonus autumnalis*), a glacial relict fish 511

SAVILLE, D. H. and IRWIN, S. W. E. A study of the mechanisms by which the cercariae of *Microphallus primas* (Jag, 1909) Stunkard, 1957 penetrate the shore crab, *Carcinus maenus* (L) 521

BARRAU, E., FABRE, N., FOURASTE, I. and HOSTE, H. Effect of bioactive compounds from Sainfoin (*Onobrychis viciifolia* Scop.) on the *in vitro* larval migration of *Haemonchus contortus*: role of tannins and flavanol glycosides 531

SCHINDLER, A. R., DE GRUIJTER, J. M., POLDERMAN, A. M. and GASSER, R. B. Definition of genetic markers in nuclear ribosomal DNA for a neglected parasite of primates, *Ternidens deminutus* (Nematoda: Strongylida) – diagnostic and epidemiological implications 539

YANG, Y. R., ROSENZVIT, M. C., ZHANG, L. H., ZHANG, J. Z. and MCMANUS, D. P. Molecular study of *Echinococcus* in west-central China 547

KRASNOV, B. R., MOUILLOT, D., KHOKHLOVA, I. S., SHENBROT, G. I. and POULIN, R. Covariance in species diversity and facilitation among non-interactive parasite taxa: all against the host 557

GONZÁLEZ, M. T. and POULIN, R. Nested patterns in parasite component communities of a marine fish along its latitudinal range on the Pacific coast of South America 569

ERRATUM 578

BOOK REVIEWS 579

PART 5 NOVEMBER 2005

LEI, Y., DAVEY, M. and ELLIS, J. T. Attachment and invasion of *Toxoplasma gondii* and *Neospora caninum* to epithelial and fibroblast cell lines *in vitro* 583

HATANAKA, A., UMEDA, N., YAMASHITA, S. and HIRAZAWA, N. A small ciliary surface glycoprotein of the monogenean parasite *Neobenedenia girellae* acts as an agglutination/immobilization antigen and induces an immune response in the Japanese flounder *Paralichthys olivaceus* 591

TURÁNEK, J., KAŠNÁ, A., KOUDELA, B., LEDVINA, M. and MILLER, A. D. Stimulation of innate immunity in newborn kids against *Cryptoporidium parvum* infection-challenge by intranasal/per-oral administration of liposomal formulation of N-L 18-norAbu-GMDP adjuvant 601

KALLERT, D. M., EL-MATBOULI, M. and HASS, W. Polar filament discharge of *Myxobolus cerebralis* actinopores is triggered by combined non-specific mechanical and chemical cues 609

SHRIVASTAVA, J., GOWER, C. M., BALOLONG, E., JR., WANG, T. P., QIAN, B. Z. and WEBSTER, J. P. Population genetics of multi-host parasites – the case for molecular epidemiological *Schistosoma japonicum* using larval stages from naturally infected hosts 617

DA SILVEIRA, A. B. M., ARANTES, R. M. E., VAGO, A. R., LEMOS, E. M., ADAD, S. J., CORREA-OLIVEIRA, R. and D'AVILA REIS, D. Comparative study of the presence of *Trypanosoma cruzi* kDNA, inflammation and denervation in chagasic patients with and without megaesophagus 627

WITOLA, W. H., TSUDA, A., INOUE, N., OHASHI, K. and ONUMA, M. Acquired resistance to berenil in a cloned isolate of *Trypanosoma evansi* is associated with upregulation of a novel gene, TeDR40 635

HAKALAHTI, T., BANDILLA, M. and VALTONEN, E. T. Delayed transmission of a parasite is compensated by accelerated growth 647

BOPPANA, D. K. V., WIKEL, S. K., RAJ, D. G., MANOHAR, M. B. and LALITHA, J. Cellular infiltration at skin lesions and draining lymph nodes of sheep infested with adult *Hyalomma anatolicum anatolicum* ticks 657

LORENZO, C., LAST, J. A. and GONZÁLEZ-SAPIENZA, G. G. The immunogenicity of *Echinococcus granulosus* antigen 5 is determined by its post-translational modifications 669

ITAGAKI, T., KIKAWA, M., SAKAGUCHI, K., SHIMO, J., TERASAKI, K., SHIBAHARA, T. and FUKUDA, K. Genetic characterization of parthenogenic *Fasciola* sp. in Japan on the basis of the sequences of ribosomal and mitochondrial DNA 679

SICARD, M., TABART, J., BOEMARE, N. E., THALER, O. and MOULIA, C. Effect of phenotypic variation in *Xenorhabdus nematophila* on its mutualistic relationship with the entomopathogenic nematode *Steinernema carpocapsae* 687

CHEN, S., GOLLOP, N. and GLAZER, I. Cross-stress tolerance and expression of stress-related proteins in osmotically desiccated entomopathogenic *Steinernema feltiae* IS-6 695

BOONMARS, T., WU, Z., NAGANO, I. and TAKAHASHI, Y. What is the role of p53 during the cyst formation of *Trichinella spiralis*? A comparable study between knockout mice and wild type mice 705

GOATER, C. P., BALDWIN, R. E. and SCRIMGEOUR, G. J. Physico-chemical determinants of helminth component community structure in whitefish (*Coregonus clupeaformes*) from adjacent lakes in Northern Alberta, Canada 713
ERRATUM 723
BOOK REVIEWS 725

PART 6 DECEMBER 2005

DODIN, G. and LEVOIR, P. Replication slippage and the dynamics of the immune response in malaria: a formal model for immunity 727
SILVEIRA, T. G. V., YONEYAMA, K. A. G., TAKAHASHI, H. K. and STRAUS, A. H. Isolation of *Leishmania* (*Viannia*) *braziliensis* glycolipid antigens and their reactivity with mAbSST-1, specific for parasites of *Viannia* subgenus 737
CARTER, K. C., HUTCHISON, S., BOITELLE, A., MURRAY, H. W., SUNDAR, S. and MULLEN, A. B. Sodium stibogluconate resistance in *Leishmania donovani* corrielates with greater tolerance to macrophage antileishmanial responses and trivalent antimony therapy 747
HOE, L.-N., WAN, K.-L. and NATHAN, S. Construction and characterization of recombinant single-chain variable fragment antibodies against *Toxoplasma gondii* MIC2 protein 759
VERDIDA, R. A., XUAN, X., FUKUMOTO, S., HUANG, X., ZHOU, J., IGARASHI, I., CLAVERIA, F. G. and NAGASAWA, H. Development of a practical immunochromatographic test with recombinant P50 for the diagnosis of *Babesia gibsoni* infection in dogs 769
IKADAI, H., TSUKADA, R., SASAKI, M., TAKASHIRO, R., YOKOYAMA, N., KUDO, N., IGARASHI, I. and OYAMADA, T. Molecular characterization of a putative protein disulfide isomerase from *Babesia caballi* 775
SHARMA, M., VOHRA, H. and BHASIN, D. Enhanced pro-inflammatory chemokine/cytokine response triggered by pathogenic *Entamoeba histolytica*: basis of invasive disease 783
GIANINAZZI, C., SCHILD, M., MÜLLER, N., LEIB, S. L., SIMON, F., NUÑEZ, S., JOSS, P. and GOTTSTEIN, B. Organotypic slice cultures from rat brain tissue: a new approach for *Naegleria fowleri* CNS infection *in vitro* 797
KAMENETZKY, L., MUZULIN, P. M., GUTIERREZ, A. M., ANGEL, S. D., ZAHA, A., GUARERA, E. A. and ROSENZVIT, M. C. High polymorphism in genes encoding antigen B from human infecting strains of *Echinococcus granulosus* 805
KARVONEN, A., CHENG, G.-H. and VALTONEN, E. T. Within-lake dynamics in the similarity of parasite assemblages of perch (*Perca fluviatilis*) 817
KRASNOV, B. R., MORAND, S., KHOKHLOVA, I. S., SHENBROT, G. I. and HAWLENA, H. Abundance and distribution of fleas on desert rodents: linking Taylor's power law to ecological specialization and epidemiology 825
VILAS, R., CRISCIONE, C. D. and BLOUIN, M. S. A comparison between mitochondrial DNA and the ribosomal internal transcribed regions in prospecting for cryptic species of platyhelminth parasites 839
OTRANTO, D., LIA, R. P., CANTACESSI, C., TESTINI, G., TROCCOLI, A., SHEN, J. L. and WANG, Z. X. Nematode biology and larval development of *Thelazii callipaeda* (Spirurida, Thelaziidae) in the drosophilid intermediate host in Europe and China 847
THOMSEN, L. E., PETKEVIČIUS, S., BACH KNUDSEN, K. E. and ROEPSTORFF, A. The influence of dietary carbohydrates on experimental infection with *Trichuris suis* in pigs 857
LEE, E.-G., BAE, Y.-A., JEONG, Y.-T., CHUNG, J.-Y., JE, E.-Y., KIM, S.-H., NA, B.-K., JU, J.-W., KIM, T.-S., MA, L., CHO, S.-Y. and KONG, Y. Proteomic analysis of a 120 kDa protein complex in cyst fluid of *Taenia solium* metacestode and preliminary evaluation of its value for the serodiagnosis of neurocysticercosis 867